

# KONDOR 1

# ARNÉS

FICHA TÉCNICA

## Producto



## Descripción






- Anclaje anticaídas dorsal.
- Hebillas de ajuste manual de acero cincado de alta resistencia.
- Cintas regulables en altura y perneras.
- Dos portaganchos plásticos incorporados en la parte frontal.
- Fabricación bicolor, para una mejor diferenciación de la parte superior e inferior.
- Chip NFC Ready: Chip incorporado para trazabilidad de producto, estado y revisión.

# CARACTERÍSTICAS

Características generales	Norma	ANSI Z359.11
	Talla	Universal
	Peso	1150g
	Capacidad de uso	140kg
	Ancho cinta	44mm
	Vida útil	10 años de uso + 2 años de almacenamiento

Materiales	Componente	Material
	Cinta	Poliéster
	Hilo	Poliamida
	Anillas	Acero
	Hebillas de ajuste manual	Acero cincado

# USOS

Puntos de enganche						
	KONDOR 1	●	-	-	-	-
	KONDOR 2	●	●	●	-	-
	KONDOR 3	●	●	●	-	-

# HARNESS

## Product








## Description

- Dorsal fall arrest anchorage.
- High-strength zinc-plated steel manual adjustment buckles.
- Adjustable height and leg straps.
- Two plastic hook holders built into the front.
- Two-colour construction, for a better differentiation of the upper and lower part.
- NFC Ready Chip: Built-in chip for product traceability, status and revision.

# CHARACTERISTICS

General characteristics	Norma	ANSI Z359.11
	Size	Universal
	Weight	1150g
	Capacity to use	140kg
	Tape width	44mm
	Shelf life	10 years of use + 2 years of storage
Materials	<b>Component</b>	<b>Material</b>
	Tape	Polyester
	Thread	Polyamide
	Rings	Steel
	Manually adjustable buckles	Galvanised steel

# USES

Hitching points						
	KONDOR 1	●	-	-	-	-
	KONDOR 2	●	●	●	-	-
	KONDOR 3	●	●	●	-	-