


FASTEN 180SHS-R

IRUDEK

IRUDEK 2000 SL - POL. ERRIBERA, S.A
20150 ADUNA (GIPUZKOA) SPAIN

ELEMENTO DE AMARRE DE POSICIONAMIENTO

FICHA TÉCNICA

Descripción

- Elemento de amarre de cinta para posicionamiento.
- Chip NFC Ready: Chip incorporado para trazabilidad de producto, estado y revisión.

CARACTERÍSTICAS

Características generales	Norma	ANSI Z359.3
	Longitud	1,80m
	Peso	1040g
	Capacidad de uso	140kg
	Ancho cinta	30mm
	Vida útil	10 años de uso + 2 años de almacenamiento

Materiales	Componente	Material
	Cinta	Poliéster
	Ganchos	Acero

Conectores	Componente	Material	Abertura
	Ganchos	Acero	21mm

POSITIONING LANYARD

Description

- Tape lanyard for positioning.
- NFC Ready Chip: Built-in chip for product traceability, status and revision.

CHARACTERISTICS

General characteristics

Norma	ANSI Z359.3
Length	1,80m
Weight	1040g
Capacity to use	140kg
Tape width	30mm
Shelf life	10 years of use + 2 years of storage

Materials

Component	Material
Tape	Polyester
Hooks	Steel

Connectors

Component	Material	Opening
Hooks	Steel	21mm